




著作目録（山下恭平）

著者	東北大学史料館
号	450
発行年	1991-03
URL	http://hdl.handle.net/10097/00065267

山下恭平教授著作目録

平成 3 年 3 月
東北大学記念資料室
(著作目録第 450 号)



山下恭平教授略歴

生年月日 昭和3年3月14日生
本 籍 東京都
現 住 所 [REDACTED]

學歷

昭和25年 3 月	東京大学農学部農芸化学科卒業
昭和25年 4 月	東京大学農学部大学院入学
昭和25年 6 月	同上 退学
昭和35年12月	農学博士

受 賞

昭和61年 4 月	日本農学賞（日本農学会）
昭和61年 4 月	読売農学賞（読売新聞社）

職 歷

昭和25年 6 月	東京大学農学部助手（生物化学講座）
昭和29年 4 月	同 上（有機化学講座）
昭和35年 7 月	東京大学農学部助教授（有機化学講座）
昭和42年 4 月	東北大学農学部教授（農業化学講座）
昭和60年 1 月～ 昭和63年12月	東北大学評議員
平成 1 年 4 月	東北大学付属図書館農学分館長

研究業績

別添資料の通り

学会ならびに社会における活動

日本農芸化学会東北支部長（平成元年 4 月～）
日本農芸化学会評議員（平成元年 4 月～）
日本農薬学会評議員（昭和50年10月～）
植物化学調節学会評議員（昭和60年 4 月～）
（財）農芸化学研究奨励会評議員（昭和63年 6 月～）
農林水産省農業資材審議会委員（昭和59年 7 月～）

その他

日本農芸化学会理事，評議員
文部省学術審議会専門委員
日本学術会議植物防疫研究連絡委員会委員
日本学術振興会流動研究員等審査会委員
日本大学農獣医学部講師
東京農工大学農学部講師
北海道大学農学部講師
東京大学教養学部講師 等歴任

著 作 目 録

【編著書】

化学用語辞典

化学用語辞典編集委員会編，技報堂，東京（1980）．

化学実験ハンドブック（第4版）

菊地吾郎，佐伯誠道，武藤聡雄，山下恭平，吉田昭 編著，技報堂，東京（1984）．

【著書】

植物の生理活性物質

山下恭平著，南江堂，東京（1975）．

【共著書】

有機化学演習

佐藤久男，山下雄也，山下恭平 共著，有信堂高文社，東京（1954）．

農薬の化学

山下恭平，水谷純也，藤田稔夫，丸茂晋吾，江藤守総，高橋信孝 共著，文永堂，東京（1984）．

【原著論文】

1. 植物生理活性物質の研究

(1) アブシジン酸類の研究

- 1) Studies on abscisic acid. Part I. Synthesis of ketoionylideneacetic acids.
T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, 34 (1), 108-114 (1970).
- 2) Studies on abscisic acid. Part II. The oxidation product of methyl α - and β -cyclohexylideneacetates and methyl α -cyclogerانات.
T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, 34 (2), 198-205 (1970).

- 3) Studies on abscisic acid. Part III. Syntheses of compounds structurally related to α -ionylideneacetic acid.
T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **34** (6), 830-837 (1970).
- 4) Studies on abscisic acid. Part IV. Syntheses of compounds structurally related to abscisic acid.
T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **34** (8), 1184-1190 (1970).
- 5) Studies on abscisic acid. Part V. The epoxidation products of methyl dehydro- β -ionylideneacetates.
T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **34** (12), 1821-1825 (1970).
- 6) Studies on abscisic acid. Part VI. Synthesis of hydroxyionylideneacetic acids.
T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **36** (3), 362-369 (1972).
- 7) Absolute stereochemistry of analogs of optical active α -ionylideneacetic acids.
T. Oritani, K. Yamashita and H. Meguro: *Agric. Biol. Chem.*, **36** (5), 885-888 (1972).
- 8) Synthesis of optical active abscisic acid and its analogs.
T. Oritani and K. Yamashita: *Tetrahedron Lett.*, **1972** (25), 2521-2524.
- 9) Studies on abscisic acid. Part VII. Syntheses of pentadienoic acids structurally related to abscisic acid.
T. Oritani, T. Matsunaga and K. Yamashita: *Agric. Biol. Chem.*, **37** (2), 261-268 (1973).
- 10) Studies on abscisic acid. Part VIII. Synthesis of analogs of optically active α -ionylideneacetic acid.
T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **37** (5), 1115-1121 (1973).
- 11) Synthesis of (\pm)-Xanthoxins.
T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **37** (5), 1215-1217 (1973).

- 12) Structure-activity relationships in analogs of abscisic acid.
T. Oritani and K. Yamashita: *Plant Growth Substances*, **1973**, 440-446.
- 13) Studies on abscisic acid. Part IX. Syntheses and biological activities of analogs of abscisic acid.
T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **38** (4), 801-808 (1974).
- 14) Studies on abscisic acid. Part X. Synthesis and physiological activity of (\pm)-methyl 5-(1', 2'-epoxy-2', 6'-dimethylcyclohexyl)-3-methyl-(2Z, 4E)-2, 4-pentadienoate.
T. Adachi, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **39** (8), 1681-1682 (1975).
- 15) Studies on abscisic acid. Part XI. Synthesis and physiological activity of monodemethyl abscisic acids and methyl 5-(1', 6'-epoxy-2', 2'-dimethylcyclohexyl)-3-methyl-(2Z, 4E)-pentadienoate.
M. Nanzyo, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **41** (9), 1711-1720 (1977).
- 16) Studies on abscisic acid. Part XII. Synthesis of aromatic analogs of abscisic acid.
T. Oritani, M. Nanjyo, M. Fujita and K. Yamashita: *Agric. Biol. Chem.*, **42** (7), 1437-1438 (1978).
- 17) Synthesis and metabolism of (\pm)-(2-¹⁴C)-4'-hydroxy- α -ionylideneacetic acid.
T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **43** (7), 1613-1614 (1979).
- 18) Studies on abscisic acid. Part XIII. Optical resolution and biological activity of α -ionylideneacetic acid.
K. Yamashita, E. Nagano and T. Oritani: *Agric. Biol. Chem.*, **44** (6), 1441-1442 (1980).
- 19) Studies on abscisic acid. Part XIV. Synthesis and physiological activity of methyl 6', 6'-demethyl abscisiate and new chiral analogs.
E. Nagano, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **44** (9), 2095-2098 (1980).

- 20) Studies on abscisic acid. Part XV. Synthesis and biological activity of (\pm)-2', 3'-dihydroabscisic acid.
T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **46** (3), 817-818 (1982).
- 21) The metabolism of analogs of abscisic acid in *Cercospora cruenta*.
T. Oritani, M. Ichimura and K. Yamashita: *Agric. Biol. Chem.*, **46** (7), 1959-1960 (1982).
- 22) Studies on abscisic acid. Part XVI. Synthesis and biological activity of methyl 3-demethylabscisate and its related analogs.
K. Yamashita, T. Watanabe, M. Watanabe and T. Oritani: *Agric. Biol. Chem.*, **46** (12), 3069-3075 (1982).
- 23) The metabolism of (2*Z*, 4*E*)- α -ionylideneacetic acid in *Cercospora cruenta*, a fungus producing (+)-abscisic acid.
M. Ichimura, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **47** (8), 1895-1900 (1983).
- 24) Studies on abscisic acid. Part XVII. Synthesis and plant growth inhibitory activities of (+)- and (-)-(2*Z*, 4*E*)-5-(1', 2'-epoxy-2', 6', 6'-trimethylcyclohexyl)-3-methyl-2, 4-pentadienoic acid.
T. Oritani and K. Yamashita: *Phytochemistry*, **22** (9), 1909-1912 (1983).
- 25) A novel abscisic acid analog, (+)-(2*Z*, 4*E*)-5-(1', 4'-dihydroxy-6', 6'-dimethyl-2'-methylenecyclohexyl)-3-methyl-2, 4-pentadienoic acid, from *Cercospora cruenta*.
T. Oritani, M. Ichimura and K. Yamashita: *Agric. Biol. Chem.*, **48** (6), 1677-1678 (1984).
- 26) Biosynthesis of abscisic acid in *Cercospora cruenta*.
T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **49** (1), 245-249 (1985).
- 27) Metabolism of (\pm)-(2*Z*, 4*E*)- α -ionylideneacetic acid and its 1'-hydroxyl analog in plants.
T. Oritani, K. Yamashita and T. Oritani: *J. Pesticide Sci.*, **10** (3), 535-540 (1985).

- 28) Isolation of (2Z, 4E)- γ -ionylideneethanol from *Cercospora cruenta*, a fungus producing (+)-abscisic Acid.
T.Oritani, M. Niitsu, T. Kato and K. Yamashita: *Agric. Biol. Chem.*, **49** (9), 2819-2822 (1985).
- 29) Conversion of (2Z, 4E)-5-(1', 2'-epoxy-2', 6', 6'-trimethylcyclohexyl)-3-methyl-2, 4-pentadienoic acid to xanthoxin acid by *Cercospora cruenta*, a fungus producing (+)-abscisic acid.
T.Oritani and K. Yamashita: *Phytochemistry*, **24** (9), 1957-1961 (1985).
- 30) Total synthesis of (\pm)-methyl phaseates.
S. Takahashi, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **50** (6), 1589-1594 (1986).
- 31) Synthesis and biological activities of (\pm)-deoxyabscisic acid.
S. Takahashi, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **50** (12), 3205-3206 (1986).
- 32) Isolation and structure of 4'-hydroxy- γ -ionylideneacetic acids from *Cercospora cruenta*, a fungus producing (+)-abscisic acid.
T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **51** (1), 271-275 (1987).
- 33) Metabolism of (2Z, 4E)- γ -ionylideneethanol and (2Z, 4E)- γ -ionylideneacetic acid in *Cercospora cruenta*.
T. Kato, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **51** (10), 2695-2699 (1987).
- 34) Total synthesis of (\pm)-drummondone A.
S. Takahashi, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **52** (1), 297-299 (1988).
- 35) Total synthesis of (+)-methyl phaseate from β -pinene.
S. Takahashi, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **52** (6), 1633-1635 (1988).
- 36) Conformation and metabolism of (2Z, 4E)-1, 4-dihydroxy- γ -ionylideneacetic acid, ABA biosynthetic intermediate in *Cercospora cruenta*.
T. Oritani, K. Sasaki and K. Yamashita: *Agric. Biol. Chem.*, **52** (8), 2119-2122 (1988).

- 37) Synthesis of chiral 3'-hydroxy- γ -ionylideneacetic acid.
H. Yamamoto, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **52** (9), 2203-2208 (1988).
 - 38) Synthesis of (\pm)-(2Z, 4E)-*trans*-1', 4'-dihydroxy- γ -ionylideneacetic acid, a fungal biosynthetic intermediate of abscisic Acid.
H. Yamamoto, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **52** (10), 2683-2684 (1988).
 - 39) Synthesis of (+)-methyl phaseate and its isomer from β -pinene.
S. Takahashi, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **53** (10), 2711-2718 (1989).
 - 40) Synthesis of (\pm)-4'-hydroxy- γ -ionylideneacetic acids, fungal biosynthetic intermediates of abscisic acid.
T. Oritani, H. Yamamoto and K. Yamashita : *Agric. Biol. Chem.*, **54** (1), 125-130 (1990).
 - 41) Syntheses of chiral 4'-hydroxy and 1', 4'-dihydroxy- γ -ionylideneacetic acid, fungal biosynthetic intermediates of abscisic acid.
H. Yamamoto, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **54** (8), 1923-1929 (1990).
- (2) 不飽和ラクトン類の研究
- 1) Plant growth inhibitors. Part I. Plant growth inhibitory activities of α -methylene- γ -butyrolactones.
Y. Iino, A. Tanaka and K. Yamashita: *Agric. Biol. Chem.*, **36** (13), 2505-2509 (1972).
 - 2) Plant growth inhibitors. Part II. A facile synthesis of conjugated α -methylene- γ -valerolactones.
A. Tanaka, T. Nakata and K. Yamashita: *Agric. Biol. Chem.*, **37** (10), 2365-2371 (1973).
 - 3) α -メチレンラクトン類の植物生長阻害作用
山下恭平, 田中陽光, 飯生泰男: 植物の化学調節, **11** (2), 64-68(1976).
 - 4) A simple procedure for α -methylenation of γ -and δ -lactones.
A. Tanaka and K. Yamashita: *Agric. Biol. Chem.*, **42** (8), 1585-1588 (1978).

- 5) Synthesis of (-)-dihydromahubanolide B and (-)-isodihydromahubanolide B.

A. Tanaka and K. Yamashita: *Chemistry Lett.*, **1981**, 319-322.

(3) 他感作用物質の研究

- 1) A novel preparation of 1-acetoxy-*cis*-pent-2-en-4-yne. A new synthetic route to *cis*-dehydromatricaria ester.

A. Kobayashi, Y. Shibata and K. Yamashita: *Agric. Biol. Chem.*, **39** (4), 911-912 (1975).

- 2) Synthesis of 10-hydroxy-*cis*-8-decene-3, 5-diyneic and 9-hydroxy-*cis*-nonene-3, 5-diyneic acids.

A. Kobayashi and K. Yamashita: *Agric. Biol. Chem.*, **39** (11), 2247-2248(1975).

- 3) Synthesis of a new acetylenic compounds isolated from *Solidago altissima*.

A. Kobayashi, S. Kouya and K. Yamashita: *Agric. Biol. Chem.*, **49** (11), 2257-2260 (1976).

- 4) C₁₀-Polyacetylenes as allelopathic substance in dominants in early stages of secondary succession.

A. Kobayashi, S. Morimoto, Y. Shibata, K. Yamashita and M. Numata: *J. Chem. Ecol.*, **6** (1), 119-131 (1980).

- 5) Growth and germination inhibitors in hog-weed.

S. Watanabe, A. Kobayashi and K. Yamashita: *Agric. Biol. Chem.*, **45** (12), 2919-2920 (1981).

(4) 植物毒素の研究

- 1) Synthesis of debutenoyl-aspartetronin A and stereochemistry of aspartetronin A.

K. Yamashita, A. Takaiwa and H. Nakada: *Agric. Biol. Chem.*, **44** (12), 2931-2935.

- 2) Total synthesis of (±)-gregatin B.

A. Takaiwa and K. Yamashita: *Agric. Biol. Chem.*, **46** (6), 1721-1722 (1982).

- 3) Stereochemistry of (-)-vertinolide.
A. Takaiwa and K. Yamashita: *Agric. Biol. Chem.*, **47** (2), 429-430 (1983).
- 4) Monilidiol, characteristic and bioactive metabolites of benomyl resistant strains of *Monilinia fructicola*.
T. Sassa, M. Nukina, T. Sugiyama and K. Yamashita: *Agric. Biol. Chem.*, **47** (2), 449-451 (1983).
- 5) Synthesis of monilidiol and dechloromonilidiol, phytotoxic octaketides of *Monilinia fructicola*.
T. Sugiyama, M. Watanabe, T. Sassa and K. Yamashita: *Agric. Biol. Chem.*, **47** (10), 2411-2413 (1983).
- 6) Synthesis of (S)-(-)-vertinolide.
A. Takaiwa and K. Yamashita: *Agric. Biol. Chem.*, **48** (4), 961-963 (1984).
- 7) Synthesis and absolute configuration of natural gregatin B.
A. Takaiwa and K. Yamashita: *Agric. Biol. Chem.*, **48** (8), 2061-2065 (1984).
- 8) Synthesis of optically active pyriculol, a phytotoxic metabolite produced by *Pyricularia oryzae* Cavara.
M. Suzuki, T. Sugiyama, M. Watanabe and K. Yamashita: *Agric. Biol. Chem.*, **50** (8), 2159-2160 (1986).
- 9) Synthesis and absolute configuration of pyriculol.
M. Suzuki, T. Sugiyama, M. Watanabe and K. Yamashita: *Agric. Biol. Chem.*, **51** (4), 1721-1727 (1987).
- 10) Synthesis of all four stereoisomers of pyriculol.
M. Suzuki, T. Sugiyama, M. Watanabe and K. Yamashita: *Agric. Biol. Chem.*, **51** (8), 2161-2166 (1987).
- (5) その他
 - 1) Synthesis of the proposed structure for sclerin.
M. Matsui, K. Yamashita and Y. Sugimura: *Agric. Biol. Chem.*, **30** (6), 625-626 (1966).

- 2) Synthetic studies on colchicine-related tropolones.
M. Matsui, K. Yamashita, K. Mori and S. Kaneko: *Agric. Biol. Chem.*, **31** (6), 675-681 (1967).
- 3) Synthesis of isochroman-1, 3-diones. A new synthesis of (\pm)-sclerin.
M. Matsui, Y. Sugimura, K. Yamashita, K. Mori and T. Ogawa: *Agric. Biol. Chem.*, **32** (4), 492-495 (1968).
- 4) Synthesis of 1-O-(2, 4-dichlorophenoxyacetyl)-D-glucopyranose.
A. Kobayashi, K. Watanabe and K. Yamashita: *Agric. Biol. Chem.*, **36** (12), 2151-2156 (1972).
- 5) Total Synthesis of (\pm)-sclerotinin A.
A. K. Tanaka, A. Kobayashi and K. Yamashita: *Agric. Biol. Chem.*, **37** (3), 669-674 (1973).
- 6) Growth promoting activities of sclerotinin A and its analogs.
A. K. Tanaka, C. Sato, Y. Shibata, A. Kobayashi and K. Yamashita: *Agric. Biol. Chem.*, **38** (7), 1311-1315 (1974).
- 7) Synthesis of (\pm)-8,10-dioxagibba-A-triene.
T. Moriya, A. Tanaka and K. Yamashita: *Agric. Biol. Chem.*, **39** (9), 1885-1886 (1975).
- 8) Synthesis and biological activities of 1-O-glucopyranosyl fatty acid esters.
A. K. Tanaka, A. Kobayashi and K. Yamashita: *Agric. Biol. Chem.*, **43** (12), 2537-2542 (1979).

2. 昆虫生理活性物質の研究

(1) ビレスロイドの研究

- 1) Studies on chrysanthemic acid. Part III. Oxidation and reduction products of chrysanthemic acid.
M. Matsui, K. Yamashita, M. Miyano, S. Kitamura, Y. Suzuki and M. Hamuro: *Bull. Agric. Chem. Soc.*, **20** (2), 89-94 (1956).
- 2) Studies on chrysanthemic acid. Part IV. Synthesis of chrysanthemumdi-carboxylic acid.
M. Matsui, M. Miyano and K. Yamashita: *Proc. Japan Acad.*, **32** (5), 353-355 (1956).

- 3) Synthesis of pyrethidic (chrysanthemumdicarboxylic) acid.
M. Matsui, M. Miyano, K. Yamashita, H. Kubo and K. Tomita: *Bull. Agric. Chem. Soc.*, **21** (1), 22-29 (1957).
- 4) Chemical studies on pyrethroids. Part I. Syntheses of allethrin isomers and their toxicities.
A. Kobayashi, K. Yamashita, K. Ohshima and I. Yamamoto: *Agric. Biol. Chem.*, **35** (12), 1961-1965 (1971).
- 5) Chemical studies on pyrethroids. Part II. Synthesis and toxicity of allethrin II isomers.
T. Sugiyama, A. Kobayashi and K. Yamashita: *Agric. Biol. Chem.*, **36** (4), 565-569 (1972).
- 6) Chemical studies on pyrethroids. Part III. synthesis and toxicity of allethrin-(Z)-metabolites.
T. Sugiyama, A. Kobayashi and K. Yamashita: *Agric. Biol. Chem.*, **36** (13), 2275-2280 (1972).
- 7) Chemical studies on pyrethroids. Part IV. Paramagnetic induced shifts in the proton magnetic resonance spectra of cyclopropanecarboxylic acid esters using $\text{Eu}(\text{fod})_3$.
T. Sugiyama, A. Kobayashi and K. Yamashita: *Agric. Biol. Chem.*, **37** (6), 1497-1500 (1973).
- 8) Chemical studies on pyrethroids. Part V. Synthesis and biological activity of isobutenyl- and isobutyl-cyclopropanecarboxylate.
T. Sugiyama, A. Kobayashi and K. Yamashita: *Agric. Biol. Chem.*, **38** (5), 979-985 (1974).
- 9) Chemical studies on pyrethroids. Part VI. Configurational relationship between substituents on cyclopropane ring of pyrethroids and their insecticidal toxicity.
T. Sugiyama, A. Kobayashi and K. Yamashita: *Agric. Biol. Chem.*, **39** (7), 1483-1488 (1975).
- 10) Chemical studies on pyrethroids. Part VII. A new type of synthetic pyrethroid.
F. Sugawara, T. Sugiyama, A. Kobayashi and K. Yamashita: *Agric. Biol. Chem.*, **42** (4), 847-850 (1978).

(2) 共力剤の研究

- 1) Studies on phenolic lactones. Part I. Synthesis of α -piperonylidene- β -piperonyl-butyrolactone.
K. Yamashita and M. Matsui: *Bull. Agric. Chem. Soc.*, **22** (4), 227-233 (1958).
- 2) Studies on phenolic lactones. Part II. A new synthetic method of isohiballactone.
K. Yamashita and M. Matsui: *Bull. Agric. Chem. Soc.*, **23** (3), 230-233 (1959).
- 3) Studies on phenolic lactones. Part III. Synthesis of (\pm)-hiballactone.
K. Yamashita and M. Matsui: *Bull. Agric. Chem. Soc.*, **24** (2), 160-162 (1960).
- 4) Studies on phenolic lactones. Part IV. Preparation of α -exounsaturated- γ -butyrolactones.
K. Yamashita and M. Matsui: *Bull. Agric. Chem. Soc.*, **24** (7), 711-715 (1960).
- 5) Studies on phenolic lactones. Part V. General synthetic route to substituted β -benzyl- γ -butyrolactones and an alternative synthesis of (\pm)-hiballactone.
K. Yamashita and M. Matsui: *Bull. Agric. Chem. Soc.*, **24** (7), 716-718 (1960).
- 6) Studies on phenolic lactones. Part VI. Synergistic activities of phenolic lactones.
K. Yamashita and M. Matsui: *Agric. Biol. Chem.*, **25** (2), 141-143 (1961).
- 7) Phytochemical studies. VII. Assignment of the double bond configuration in hiballactone and isohiballactone.
K.-T. Wang, K. Yamashita and B. Weinstein: *Phytochemistry*, **6** (1), 131-134 (1967).

(3) ロテノイドの研究

- 1) A Novel synthesis of (\pm)-munduserone via acetylenic intermediates.
H. Omokawa and K. Yamashita: *Agric. Biol. Chem.*, **37** (1), 195-196 (1973).

- 2) Chemical studies on rotenoid. Part I. A novel synthesis of (±)-munduserone *via* acetylenic intermediates.
H. Omokawa and K. Yamashita: *Agric. Biol. Chem.*, **37** (7), 1717-1721 (1973).
 - 3) ロテノイドに関する研究。第Ⅱ報。2-フェノキシメチルクロマノン類縁体の合成と反応
重川弘宜, 山下恭平: 農化, **48** (1), 57-62 (1974).
 - 4) Chemical studies on rotenoid. Part III. Synthesis of (±)-deguelin.
H. Omokawa and K. Yamashita: *Agric. Biol. Chem.*, **38** (9), 1731-1734 (1974).
 - 5) Chemical studies on rotenoid. Part IV. A new synthesis of (±)-9-demethyl-munduserone. Thermal rearrangement of phenyl 2-propynyl ether and its application.
H. Omokawa, Y. Shibata and K. Yamashita: *Agric. Biol. Chem.*, **39** (2), 393-396 (1975).
 - 6) Chemical studies on rotenoid. Part V. Synthesis of (-)-rotenone.
I. Sasaki and K. Yamashita: *Agric. Biol. Chem.*, **43** (1), 137-139 (1979).
- (4) 昆虫防御物質の研究
- 1) Identification of octadecyl acetate and (Z)-11-eicosenyl acetate, major component of the defensive secretion of *Gastrophysa atrocyanea* Motschulsky.
F. Sugawara, A. Kobayashi, K. Yamashita and K. Matsuda: *Agric. Biol. Chem.*, **42** (3), 687-688 (1978).
 - 2) Stereoselective synthesis of (Z)-11 and (E)-11-eicosenyl acetate.
Akio Kobayashi, Fumio Sugawara and Kyohei Yamashita: *Agric. Biol. Chem.*, **42** (10), 1973-1974 (1978).
 - 3) Defensive secretion of Chrysomelid beetles. Part II. Defensive secretion of Chrysomelid larvae *Gastrophysa atrocyanea* Motschulsky and *Phaedon brassicae* Baly.
F. Sugawara, K. Matsuda, A. Kobayashi and K. Yamashita: *J. Chem. Ecol.*, **5** (5), 635-641 (1979).

- 4) Defensive secretion of Chrysomelid beetles . Part III. Defensive secretion of Chrysomelid larvae *Linnaea aenea* Linne and *Plagioderma versicolora distincta* Baly.

F. Sugawara, K. Matsuda, A. Kobayashi and K. Yamashita: *J. Chem. Ecol.*, 5 (6), 929-934 (1979).

(5) その他

- 1) Synthesis and absolute configuration of nematocidal constituent of *Cirsium japonicum*.

T. Sugiyama and K. Yamashita: *Agric. Biol. Chem.*, 4 (8), 1983-1984 (1980).

- 2) Synthesis of natural (-)-osmundalactone and its epimer.

T. Murayama, T. Sugiyama and K. Yamashita: *Agric. Biol. Chem.*, 50 (9), 2347-2351 (1986).

3. 微生物生理活性物質の研究

(1) 抗菌成分, フィトアレキシンの研究

- 1) Synthesis of (±)-dendrotrifidiol and its naturally occurring analogs.

A. Kobayashi, K. Tamagawa and K. Yamashita: *Agric. Biol. Chem.*, 41 (4), 691-695 (1976).

- 2) Stereochemistry and biological activity of phytoalexin "safynol" from safflower.

H. Nakada, A. Kobayashi and K. Yamashita: *Agric. Biol. Chem.*, 41 (9), 1761-1765 (1977).

- 3) Synthesis of (S)-(+)-methyl β, γ -dihydroxy- α -methylenebutyrate and (S)-(-)-tulipalin B.

A. Tanaka and K. Yamashita: *Agric. Biol. Chem.*, 44 (1), 199-202 (1980).

- 4) Synthesis of all four stereoisomers of antibacterial component of avocado.

T. Sugiyama, A. Sato and K. Yamashita: *Agric. Biol. Chem.*, 46 (2), 481-485 (1982).

- 5) Synthesis and absolute configuration of neocnidilide.
H. Suzuki, A. Tanaka and K. Yamashita: *Agric. Biol. Chem.*, **51** (12), 3369-3373 (1987).
 - 6) Synthesis of optically pure (*R*)-4a-methyl-4, 4a, 5, 6, 7, 8-hexahydro-2(3H)-naphthalenone and its transformation into (+)-7-hydroxycostal.
A. Tanaka, H. Kamata and K. Yamashita: *Agric. Biol. Chem.*, **52** (8), 2043-2048 (1988).
 - 7) Synthesis of (-)-*cis*-neocnidilide.
A. Tanaka, H. Suzuki and K. Yamashita: *Agric. Biol. Chem.*, **53** (8), 2253-2256 (1989).
 - 8) Synthesis of (\pm)-cyclocymopol.
A. Tanaka, M. Sato and K. Yamashita: *Agric. Biol. Chem.*, **54** (1), 121-123 (1990).
- (2) 抗生物質の研究
- 1) Synthesis and antimicrobial activity of optically active *trans*-cycloheximide isomers.
S. Kudo, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **48** (9), 2315-2319 (1984).
 - 2) Synthesis and antimicrobial activity of chiral *cis*-cycloheximide isomers.
S. Kudo, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **48** (11), 2739-2743 (1984).
 - 3) Synthesis of streptovitacin C₂-isomers.
S. Kudo, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **49** (10), 2919-2923 (1985).
 - 4) Total synthesis of natural (+)-phomalactone, (+)-acetylphomalactone, (+)-asperlin and their isomers.
T. Murayama, T. Sugiyama and K. Yamashita: *Agric. Biol. Chem.*, **50** (7), 1923-1924 (1986).
 - 5) Synthesis of natural (+)-phomalactone, (+)-acetylphomalactone, (+)-asperlin and their isomers.
T. Murayama, T. Sugiyama and K. Yamashita: *Agric. Biol. Chem.*, **51** (8), 2055-2060 (1987).

- 6) Synthesis and biological activity of (\pm)-pyrenolide.
S. Suzuki, A. Tanaka and K. Yamashita: *Agric. Biol. Chem.*, **51** (11), 3085-3088 (1987).
 - 7) Synthesis and biological activities of demethylcycloheximides.
H. Kondo, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **52** (1), 129-133 (1987).
 - 8) The structure of enacyloxin II, a novel linear polyenic antibiotic produced by *Gluconobacter* sp. W-315.
T. Watanabe, T. Sugiyama, M. Takahashi, J. Shima, K. Yamashita, K. Izaki, K. Furihata and H. Seto: *Agric. Biol. Chem.*, **54** (1), 259-261 (1990).
 - 9) Synthesis and biological activities of streptovitamin A and E-73.
H. Kondo, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **54** (6), 1531-1536 (1990).
 - 10) Synthesis and biological activities of griseofulvin analogs.
B.-S. Ko, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **54** (9), 2199-2204 (1990).
 - 11) Synthesis and antimicrobial activity of 2-deoxypuromycin.
F. Koizumi, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **54** (12), 3093-3097 (1990).
- (3) 微生物ホルモンの研究
- 1) Alternative synthesis of (\pm)-trisorol B via (\pm)-6-hydroxymethyl-2, 4-dimethyl-2-cyclohexen-1-one.
S. Takahashi, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **51** (4), 1143-1147 (1987).
 - 2) Enantioselective synthesis of (+)-methyl trisporate B.
S. Takahashi, T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **51** (4), 1143-1147 (1987).
 - 3) Total synthesis of (+)-methyl trisporate B, fungal sex hormone.
S. Takahashi, T. Oritani and K. Yamashita: *Tetrahedron*, **44** (23), 7081-7088 (1988).

(4) 酵素の有機合成への応用に関する研究

- 1) Biochemical resolution of racemic terpenes. Part I. Microbial resolution of dl-isopulegol.
T.Oritani and K. Yamashita: *Agric. Biol. Chem.*, **37** (7), 1687-1689 (1973).
- 2) Biochemical resolution of racemic terpenes. Part II. Microbial resolution of racemic carbomenthols.
T.Oritani and K. Yamashita: *Agric. Biol. Chem.*, **37** (7), 1691-1694 (1974).
- 3) Biochemical resolution of racemic terpenes. Part III. Microbial resolution of racemic 2- and 3-alkyl-cyclohexanols.
T.Oritani and K. Yamashita: *Agric. Biol. Chem.*, **37** (7), 1695-1700 (1973).
- 4) Biochemical resolution of racemic terpenes. Part IV. Microbial resolution of (\pm)-acyclic alcohols.
T.Oritani and K. Yamashita: *Agric. Biol. Chem.*, **37** (8), 1923-1928 (1973).
- 5) Biochemical resolution of racemic terpenes. Part V. Microbial resolution of (\pm)-borneols.
T.Oritani and K. Yamashita: *Agric. Biol. Chem.*, **38** (10), 1961-1964 (1974).
- 6) Biochemical resolution of racemic terpenes. Part VI. Microbial resolution of (\pm)-1and (\pm)-2-decalols.
T.Oritani and K. Yamashita: *Agric. Biol. Chem.*, **38** (10), 1965-1971 (1974).
- 7) Biochemical resolution of racemic terpenes. Part VII. Microbial resolution of some racemic monocyclic alcohols.
T.Oritani and K. Yamashita: *Agric. Biol. Chem.*, **39** (1), 89-96 (1975).
- 8) Biochemical resolution of racemic terpenes. Part VIII. Enzymic resolution of (\pm)-acyclic alcohols via asymmetric hydrolysis of corresponding acetates by microorganisms.
T.Oritani and K. Yamashita: *Agric. Biol. Chem.*, **44** (10), 2407-2411 (1980).

- 9) Biochemical resolution of racemic terpenes. Part IX. Enzymic resolution of (\pm)-unsaturated cyclic terpene alcohols *via* asymmetric hydrolysis of corresponding acetates by microorganisms.
T.Oritani and K. Yamashita: *Agric. Biol. Chem.*, **44** (11), 2737-2742 (1980).
- 10) Preparation of optically active pure *cis*-2, 4-dimethyl-1-cyclohexanones, the key intermediates in cycloheximide synthesis, using microbial resolution.
T.Oritani, S. Kudo and K. Yamashita: *Agric. Biol. Chem.*, **46** (3), 756-760 (1982).
- 11) Biochemical resolution of racemic terpenes. Part X. Enzymic resolution of (\pm)-axial-alcohols *via* asymmetric hydrolysis of corresponding chloro-acetates by microorganisms.
T.Oritani, M. Ichimura, Y. Hanyu and K. Yamashita: *Agric. Biol. Chem.*, **47** (11), 2613-2617 (1983).
- 12) Enantioselectivity of microbial hydrolysis of (\pm)-decahydro-2-naphthyl acetate. Preparation and absolute configuration of chiral decahydro-2-naphthols.
T.Oritani, K. Yamashita and C. Kabuto: *J. Org. Chem.*, **49** (20), 3689-3694 (1984).
- 13) Preparation of chiral *trans*-2, 4-dimethyl-1-cyclohexanones, the key intermediates in cycloheximide synthesis using microbial resolution.
T.Oritani, H. Kondo and K. Yamashita: *Agric. Biol. Chem.*, **51** (1), 263-264 (1987).
- 14) Enzymatic preparation of 4-hydroxy-2, 2-dimethyl-1-cyclohexanone, as a chiral building block.
H. Yamamoto, T. Oritani, H. Koga, T. Horiuchi and Kyohei Yamashita: *Agric. Biol. Chem.*, **54** (8), 1915-1921 (1990).

4. その他

(1) アミノ酸, ペプチド類の研究

- 1) 生体内における蛋白質の合成機作に関する研究。(第1報) 蛋白質酵素によるペプチド結合の生成。

志村憲助, 山下恭平, 増山翠: 農化, **25** (5), 367-371 (1952).

- 2) フタル酸法によるペプチドの合成。(第1報) フタルイミドアシルクロライドとアミノ酸エステルとの縮合について。
山下恭平, 若松八郎, 佐橋佳一: 農化, **27** (9), 649-652 (1953).
- 3) フタル酸法によるペプチドの合成。(第2報) Glycyl-peptide および DL-alanyl-peptide の合成
山下恭平, 佐橋佳一: 農化, **28** (8), 672-674 (1954).
- 4) フタル酸法によるペプチドの合成。(第3報) Schotten-Baumann 型新縮合反応について
山下恭平, 佐橋佳一: 農化, **28** (8), 674-677 (1954).
- 5) α -Pyrone-6-carboxylic acid derivatives. II. Synthesis of DL-stizolobinic acid, DL-stizolobic acid and DL- β -(6-carboxy- α' -pyron-5-yl) alanine.
S. Senoh, S. Imamoto, Y. Maeno, K. Yamashita, M. Matsui, T. Tokuyama, T. Sakan, A. Komamine and S. Hattori: *Tetrahedron Lett.*, **1964** (46), 3431-3436.
- 6) α -Pyrone-6-carboxylic acid derivatives. IV. Optical resolution and configuration of stizolobic acid, stizolobinic acid and β -(6-carboxy- α' -pyron-5-yl)alanine lactam.
S. Senoh, Y. Maeno, S. Imamoto, A. Komamine, S. Hattori, K. Yamashita and M. Matsui: *Bull. Chem. Soc. Jpn.*, **40** (2), 379-384 (1967).

(2) ビタミン類の研究

- 1) 数種の-SH, -S-S-化合物のペーパークロマトグラフィー
赤塚尹己, 佐橋佳一, 山下恭平: 茨城大学農学部学術報告, **1**, 39 (1954)
- 2) Biochemical studies on intermediate metabolism of vitamins. I. On interaction of vitamin B₁ and sulfhydryl group in protein molecule.
Y. Sahashi, S. Funahashi, K. Yamashita and T. Akatsuka:
J. Biochem., **41** (4), 463-467 (1954).
- 3) A new synthetic method of vitamin A.
M. Matsui, K. Yamashita, M. Miyano, S. Kitamura, S. Okano, A. Kobayashi, T. Sato and R. Mikami: *Proc. Japan Acad.*, **34** (4), 220-222 (1958).

- 4) Synthetic studies on vitamin A. I. A novel synthesis of vitamin A.
M. Matsui, S. Okano, K. Yamashita, M. Miyano, S. Kitamura, A. Kobayashi, T. Sato and R. Mikami: *J. Vitaminol.*, 4 (3), 178-189 (1958).
- 5) Synthetic studies on vitamin A. II. The condensation of aldehydes with senecioate (β , β -dimethylacrylate).
M. Matsui, K. Yamashita, M. Miyano, S. Kitamura, S. Okano, A. Kobayashi, T. Sato and R. Mikami: *J. Vitaminol.*, 4 (3), 190-198 (1958).

(3) その他の研究

- 1) A new synthetic method of 6-hydroxypurines.
C.-E. Liau, K. Yamashita and M. Matsui: *Agric. Biol. Chem.*, 26 (9), 624-629 (1962).
- 2) Chemical studies on ambergris. Part IV. The configuration of ambergris.
T. Oritani, K. Yamashita and M. Matsui: *Agric. Biol. Chem.*, 34 (8), 1244-1248 (1970).
- 3) Unusual fatty acids with specific odor from mature male goat.
T. Sugiyama, H. Sasada, J. Masaki and K. Yamashita: *Agric. Biol. Chem.*, 45 (11), 2655-2658 (1981).
- 4) Identification of specific odor components in mature goat during the breeding season.
H. Sasada, T. Sugiyama, K. Yamashita and J. Masaki: *Jpn. J. Zootech. Sci.*, 54 (6), 401-408 (1983).
- 5) Facile synthesis of 1, 2:5, 6-di-O-cyclohexylidene-D-mannitol and 2, 3-O-cyclohexylidene-D-glyceraldehyde.
T. Sugiyama, H. Sugawara, M. Watanabe and K. Yamashita: *Agric. Biol. Chem.*, 48 (7), 1841-1844 (1984).
- 6) A practical synthesis of 1, 2-O-isopropylidene-(S)-glyceraldehyde.
A. Tanaka, S. Otsuka and K. Yamashita: *Agric. Biol. Chem.*, 48 (8), 2135-2136 (1984).

- 7) Biomimetic total synthesis of (-)-aplysistatin.
A. Tanaka, S. Otsuka and K. Yamashita: *Agric. Biol. Chem.*, **48** (10), 2535-2540 (1984).
- 8) Total Synthesis of (+)-palisadin A and (+)-12-hydroxypalisadin A.
A. Tanaka, M. Suzuki and K. Yamashita: *Agric. Biol. Chem.*, **50** (4), 1069-1071 (1986).
- 9) Characterization of fatty acids in the sebum of goat according to sex and age.
T. Sugiyama, H. Matsuura, H. Sasada, J. Masaki and K. Yamashita: *Agric. Biol. Chem.*, **50** (12), 3049-3052 (1986)
- 10) Synthesis and absolute stereochemistry of chiral γ -ionone and dihydro- γ -ionone.
T. Oritani and K. Yamashita: *Agric. Biol. Chem.*, **51** (5), 1271-1275 (1987).
- 11) A novel synthesis of (*R*) and (*S*)-4-hydroxytetrahydrofuran-2-one.
A. Tanaka and K. Yamashita: *Synthesis*, **1987** (6), 570-573.
- 12) Sex-specific fatty acids and related substances involved in characteristic odor in goat sebum.
T. Sugiyama, H. Sasada, J. Masaki and K. Yamashita: in "Pheromon and reproduction", Ed. by Y. Sagara and K. Seto, The Parthenon Group Ltd., Casterton Hall, UK (1990), pp. 53-62.

【総説, 解説】

- 1) アミノ転移を中心としたアミノ酸代謝の2, 3の問題
山下恭平: 化学の領域, **5** (7), 627-635 (1951).
- 2) アミノ酸の酵素的定量法
山下恭平: 化学の領域, 臨時増刊, **11**, 111-116 (1953).
- 3) 天然産の殺虫剤共力剤について
山下恭平: 農化, **34** (6), A25-31 (1960).
- 4) 天然物の化学
山下恭平: 日本化学工業, **14** (5), 8-11 (1966).

- 5) 化学を志す人のために<農薬化学>
山下恭平：化学の領域, **22** (4), 334-336 (1968).
- 6) ビタミン
山下恭平, 松井正直：有機化学ハンドブック, 技報堂, (1968)pp 1035-1054
- 7) カロチンおよびビタミンAの合成
山下恭平, 松井正直：“新ビタミン学”, 日本ビタミン学会, (1969)pp 26-38
- 8) ビタミンDの化学的合成
山下恭平, 松井正直：“新ビタミン学”, 日本ビタミン学会, (1969)pp 69-73
- 9) 化学構造と生理活性
山下恭平：化学の領域, **23** (8), 797-799 (1969).
- 10) Allenic sesquiterpenoid.
山下恭平：化学と生物, **8** (1), 38-39 (1970).
- 11) アブサイシン酸の絶対構造——その解明にいたる過程
山下恭平, 折谷隆之：化学と生物, **11** (1), 29-31 (1973).
- 12) 植物の生長抑制物質——生理活性と基本構造
山下恭平：化学の領域, **27** (10), 899-901 (1973).
- 13) アブサイシン酸の化学
折谷隆之, 山下恭平：化学と生物, **13** (6), 351-359 (1975).
- 14) 有機化合物の名前の付け方——よく見られる命名上の間違いについて
山下恭平：農化, **54** (1), 55-64 (1980).
- 15) 植物生理活性物質研究の現状と諸問題
山下恭平：植調, **17** (9), 7-13 (1983).
- 16) 微生物による不斉加水分解を用いる (±)-テルペンアルコール類の光学分割
折谷隆之, 山下恭平：有機合成化学協会誌, **41** (11), 1054-1063 (1983)
- 17) 生理活性物質とは何か, その役割と研究の歴史
山下恭平：“生物の生活と生理活性物質” 日本農芸化学会編, 朝倉書店 (1983), pp 1-21.

- 18) アブシジン酸の生物活性と構造
折谷隆之, 山下恭平: 化学と生物, **22** (1), 21-23 (1984).
- 19) 植物生長制御物質の構造活性相関。
山下恭平: “人類の生存と植物生産” 田村三郎, 高橋信孝編, 東大出版会 (1984),
pp 261-267
- 20) Research of natural products with plant growth regulatory and
phytotoxic activity.
K. Yamashita: in “Plant growth regulators in agriculture”, FFTC
book series 34, Food and Fertilizer Technology Center for Asian and
Pacific Region, Taipei, (1986) pp 12-22.
- 21) 植物の生理活性物質に関する有機化学的研究
山下恭平: 農化, **61** (3), 331-337 (1987).
- 22) 六員環炭素骨格を有するテルペン系生理活性物質の合成
高橋俊哉, 山下恭平: 化学と生物, **27** (7), 451-454 (1989).
- 23) 光学異性体と生物活性
山下恭平: 農化, **64** (2), 187-190 (1990).